



Village of New Lebanon

C O M M U N I T Y N E W S L E T T E R

“ T H E C A R I N G S H A R I N G C O M M U N I T Y ”

G O I N G O N I N T H E C O M M U N I T Y

Storytime in the Garden, stop by the community garden and join Linda Lewis, the New Lebanon Children's Librarian for stories, music, and crafts. Storytime is the first and third Wednesdays of the month at 12:30 pm. June 16, July 7 and 21, August 4 and 18, and September 1 and 15. In case of rain, storytime will be held in the council chambers in the Village office.



Community Garden of Life, is up and growing. Are you looking for a way to give back? The garden is a give back to the community garden, we get out what we put in. Stop by the garden or call to find out how you or your group can help. 937-687-1341, Parks and Rec Department.

Village Food Pantry facilitated by First Baptist Church of New Lebanon, serves residents in the 45345-zip code area. Individuals can visit the pantry once per month and will need to bring a photo ID along with proof of residency (i.e. utility bill) to receive assistance.

The New Lebanon Branch of the Dayton Metro Library will have food give-away every Thursday from 4:30 to 5:30pm. No registration is needed.

New Lebanon Library Book Club will meet June 29 at 10:30am. The book for discussion is *Klara and the Sun* by Kazuo Lshiguro, copies are available at our library branch.



Community
Blood Center

Community Blood Drive Tuesday, 07/06/2021 (01:00 pm - 07:00 pm)
1150 W Main St., Dixie Elementary School- Cafeteria. Schedule your appointment now by visiting the Village Website www.newlebanonoh.org and clicking on the donate blood link. Look forward to seeing everyone there!

Community Tire Recycling/Clean-up Day Recycle your old tires only (no rims or tractor tires), July 17, 2021 8am-4pm or until the dumpsters are full courthouse parking lot, S. Clayton Rd.

IT'S BACK!! **New Lebanon Rotary Club Annual Car Show**
(rain or shine) Saturday, August 7, 2021, 4:00pm-7:00pm.



Car registration begins at 2pm with a \$10.00 registration fee. All proceeds will go to the Rotary's Dug-out Project and Scholarship Fund. Prizes to car show entries. Don't have a car to enter, no problem—free to come check out the cars, eat food at the food trucks, and take a picture with the Batmobile. For additional information regarding the car show please call 937-835-5670.

N E W B U S I N E S S I N T H E V I L L A G E



In case you haven't seen or heard about it, there is a Taco Bell being built at 364 W. Main St. in the front lot of B and B Gear. Look for Taco Bell to be opening soon with a grand open to follow.

POLICE DEPARTMENT

Neighbors App

The Neighbors App allows the police to connect with residents and help improve the safety of our community.



Neighbors allows you, the user, to share photos, videos and information related to local crime and safety incidents, so all residents can stay informed. The New Lebanon Police Department posts relevant updates and safety alerts to help all residents to stay informed. Anyone with a smartphone can download the app to receive updates, and users have the option to share photos or videos from any device.

To join, residents can text "staysafe" to 555888 or visit the app store.

Spread the word about the Neighbors App, and make sure to always report criminal activity or emergency situations to the New Lebanon Police Department by calling 911 or for a non-emergency call 937-687-3080.

Report Crimes to the Police not Facebook

There are several ways to report a crime or a crime tip. Call 911 for an emergency response, call our non-emergency number at 937-687-3080 both allow you to report anonymously.

You can also report a crime or tip to CrimeStoppers at (937) 222-7867.

The only way to stop crime is to do your part and report crimes to the authorities.

Junk Vehicles will be Towed

Junk vehicles or untagged/unlicensed vehicles parked on the street will be towed.

Towing of a vehicle from the street will be at the cost of the vehicle owner as will the cost of impounding.



FIRE DEPARTMENT

Heat Related Emergencies

Every year the in United States, an estimated 6,850 individuals suffer a heat related emergency resulting in 700 deaths. The three most common heat related emergencies include muscle cramps, heat exhaustion, and heat stroke.

SIGNS OF

HEAT EXHAUSTION	HEAT STROKE
DIZZINESS & FAINTING	THROBBING HEADACHE
EXCESSIVE SWEATING	NO SWEATING
RAPID, WEAK PULSE	RAPID, STRONG PULSE
NAUSEA OR VOMITING	NAUSEA OR VOMITING
COOL, PALE CLAMMY SKIN	RED, HOT DRY SKIN
MUSCLE CRAMPS	MAY LOSE CONSCIOUSNESS



Small children under the age of four and individuals over the age of 65 have a higher risk of developing a heat related illness. Many underlying medical conditions like diabetes and heart disease also increases an individual's risk of suffering a heat related emergency. The two most serious heat exposure emergencies are heat exhaustion and heat stroke.

Common signs and symptoms of heat exhaustion include muscle cramps,

fatigue, headache, nausea, vomiting, dizziness and fainting. Individuals suffering from a heat stroke will have a temperature greater than 103 degrees. Other signs and symptoms of a heat stroke include red hot dry skin (without sweat), rapid strong pulse, throbbing headache, dizziness, nausea, confusion, and unconsciousness.

If you believe someone is suffering a heat emergency please call 911. To help prevent heat emergencies never leave a child in a car alone, check on at risk groups, limit midday exposures, drink plenty of fluids, replace lost minerals from sweating, and wear loose clothing.

Have a great summer, be safe, and stay cool!

WATER QUALITY REPORT

Village of New Lebanon, Ohio - PWS ID # 5701812

2020 Drinking Water Consumer Confidence Report

We encourage public interest and participation in our community's decisions affecting drinking water. Regular council meetings are held on the 1st and 3rd Tuesday of each month in the Municipal Council Room, 198 S Clayton Rd., at 7:30 P.M. The Public Is Always Welcome.

Introduction: The Village of New Lebanon has prepared the following report to provide information to you, the consumer, on the quality of our drinking water. Included in this report is general health information, water quality test results, how to participate in decisions concerning your drinking water and water system contacts.

This report covering 2020 results and status is required to be issued prior to July 1, 2021. We're happy to share our results with you. Please read them **Carefully**. For more information call the Municipal Office at (937) 687-1341.

Source Water Information: The Village currently obtains all its drinking water from three ground water production wells. The wells are located adjacent to the Water Treatment Plant in the northeast section of the Village near Bear Creek. The Ohio EPA designated our water source as groundwater. In 2020, the Village of New Lebanon had an unconditional license to operate our water system.

Source Water Assessment: The aquifer that supplies drinking water to the Village of New Lebanon has a low susceptibility to contamination. This determination is based on the presence of a thick protective layer of clay overlying the aquifer, a significant depth (over 80 feet below the ground surface) of the aquifer, and there is no evidence to suggest that the ground water has been impacted by any significant levels of chemical contaminants from human activities. This susceptibility means that under existing conditions, the likelihood of the aquifer becoming contaminated is low. This likelihood can be minimized by implementing appropriate protective measures. More information about the source water assessment of what consumers can do to help protect the aquifer is available by calling the Municipal Offices at 687-1341 or the Ohio EPA at 614-644-2752.

Sources of Contamination to Drinking Water: The sources of drinking water, both tap water and bottled water, include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include: (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife; (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; (E) radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Drinking water, including bottled water may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline 800-426-4791.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Village of New Lebanon is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for thirty seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. A list of laboratories certified in the State of Ohio to test for lead may be found at <http://www.epa.state.oh.us/ddagw> or by calling 614-644-2752. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 800-426-4719 or at <http://www.epa.gov/safewater/lead>

Who Needs to Take Special Precautions? Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infection. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791)

WATER QUALITY REPORT (CONTINUED)

Water Quality Data: The results of tests performed in 2020 or the most recent testing the past 5 years are presented in the table. Terms used in the Water Quality Table and in other parts of this report are defined here.

DEFINITIONS:

Maximum Contaminate Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available pretreatment technology

Maximum Contaminate Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water Disinfectant (chlorine) below which there is no known or expected risk to health.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant (chlorine) allowed in drinking water.

Parts per Million (ppm) or Milligrams per Liter (mg/L) are units of measure for concentration of a contaminant. A part per million corresponds to one second in a little over 11.5 days.

Parts per Billion (ppb) or Micrograms per Liter (µg/L) are units of measure for concentration of a contaminant. A part per million corresponds to one second in 31.7 years.

Picocuries per Liter (pCi/L) A common measure of radioactivity

Milirem per Year (mrem/yr) A common measure of radioactivity

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Range: The lowest to the highest values for all samples tested for each contaminant. If only one sample is tested, or no range is required for this report, then no range is listed for that contaminant in the table.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

The “<” symbol: A symbol which means less than. A result of <5 means that the lowest level that could be detected was 5 and the contaminant in that sample was not detected.

MFL = Millions of Fibers per Liter, **Na =** not applicable, **Nr =** not regulated, **BDL =** Below Detectable Limit,

THE VILLAGE OF NEW LEBANON 2020 WATER QUALITY DATA TABLE

Contaminants (Units)	MCLG	MCL	Level Found	Range of Detections	Violation	Year Sampled	Typical Source of Contaminants
Inorganic Contaminants							
Fluoride (ppm)	4	4	1.27	N/A	No	2018	Erosion of natural deposits; Water additive which promotes strong teeth.
Barium (ppm)	2	2	0.0987	N/A	No	2018	Discharge of drilling wastes; metal refineries; erosion of natural deposits.
Volatile Organic Contaminants							
Bromodichloromethane (ppb)	N/R	N/R	0.570	N/A	No	2018	
Chloroform (ppb)	N/R	N/R	0.730	N/A	No	2018	
Disinfection Byproducts							
TTHMs (ppb) (Total Trihalomethane)	N/A	80	3.900	2.7 - 3.9	No	2020	Byproduct of drinking water chlorination.
HAA5 (ppb) (Haloacetic Acids)	N/A	60	1.700	1.700 - 1.700	No	2020	Byproduct of drinking water chlorination.
Residual Disinfectants							
Total Chlorine (ppm)	MRDLG 4	MRDL 4	2.62	2.14-2.9	No	2020	Water additive used to control microbes.
Radioactive Contaminants							
Gross Alpha (pCi/L)	0	15	2.77	N/A	No	2018	Erosion of natural deposits.
Radium-228 (pCi/L)	0	5	0.764	N/A	No	2018	Erosion of natural deposits.
Lead and Copper							
Contaminants (Units)	Action Level (AL)	Individual Results over the AL	90% of test levels were less than		Violation	Year Sampled	Typical Source of Contaminants
Lead (ppb)	15	N/A	0.826 ppb		No	2020	Corrosion of household plumbing systems.
0 of 21 samples were found to have lead in excess of the lead AL of 15 ppb.							
Copper (ppm)	1.3	N/A	0.2279 ppm		No	2020	Corrosion of household plumbing systems.
0 of 21 samples were found to have copper in excess of the copper AL of 1.3 ppm.							

Note: The Radium MCL of 5 pCi/L is for combined Radium 226 and Radium 228. The level detected is only for Radium 228.

Water Quality Notes: Out of 10 lead and copper sites no site was found to be above the action levels.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Village of New Lebanon is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at <http://www.epa.gov/safewater/lead>.

Z O N I N G A N D C O M P L I A N C E R E M I N D E R S

Permits and Pools

Feeling the summer heat? Remember to get your permit for that new pool and fencing. Pools require a fence of at least 5 foot around them. Permits should be obtained before you start a project.

Contact the Village at 937-687-1341 to obtain a permit.



Permits and Fences

Want to be left alone or build your fortress of solitude? Great! Don't forget you'll need a permit for your new fence. Contact the Village at 937-687-1341 before your project begins.

Property Maintenance Reminder

Properties need to be maintained and kept in a condition as to not affect the value of any neighboring properties.

Remember to properly return trash cans after pick up. All fences, walls, or similar structures shall always be in a state of sound structural repair. Vehicles/RVs/trailers need to be parked on a concrete or black-topped driveway or pad and not in the grass.

Inadequate property maintenance includes but is not limited to:

Property, such as building exteriors, which is maintained in such condition as to become so defective, unsightly, or in such condition of deterioration or disrepair that the same will probably cause diminution in values of surrounding property or is materially detrimental to proximal properties and improvements. This includes, but is not limited to, the keeping, disposing or scattering over the premises of lumber, junk, trash, debris; abandoned, discarded or unused objects or equipment such as automobiles, or parts thereof, furniture, stoves, refrigerators, freezers, cans or containers; or any device, decoration, design, fence, or structure which is unsightly by reason of condition.

For those who fail to upkeep their property, there will be notices and fines for failing to comply. If you are notified of a zoning or compliance violation, **do not ignore it**. If you have any questions or concerns call the Village at 937-687-1341 ext 106.

O T H E R C O M M U N I T Y T H I N G S

Rotary Club of New Lebanon presented one graduating senior with a scholarship in May. Rotary was awarded a National Grant to help with their funding to build dug-outs at Don Rusk Park baseball fields. Rotary is working on some fund raisers to help with dug-out funding and their scholarship fund. Want to join a great community and national organization? Reach out to New Lebanon Rotary at <https://www.facebook.com/newlebrotary> to send a message and become a member.



New Lebanon Chamber of Commerce The Chamber helps local businesses through support of each other and was able to give a \$1,000 grant to nine local businesses in 2020 to help them through trying times. Have a local business? Join the Chamber of Commerce by emailing NewLebCC@gmail.com

S T R E E T U P D A T E

In 2020, Phase Two OPWC Church Street saw the completion of S. Church street from Main St. South to near Comer Court. 2021 will see **Phase Three OPWC Church Street**, this project will mirror **Phase One and Phase Two** including underground utilities, curb, gutter, storm sewer, and two courses of asphalt. Phase Three is the final phase of Church Street. Additionally, **Gloria Street** will be a 2021 paving project. Both Phase Three of Church St. and Gloria Street are scheduled to be completed by October 31, 2021.

Village of New Lebanon
198 S. Clayton Rd
New Lebanon, Ohio 45345

Type address here or use Mail Merge
(under Tools) to automatically
address this publication to multiple
recipients.

The Caring Sharing Community

VILLAGE OF NEW LEBANON

MAYOR
RAYMOND ARRIOLA

VICE MAYOR
SUSAN NICKERSON

COUNCIL MEMBERS
GALE B. JOY
LYNDON PERKINS
DOUGLAS M. THOMPSON II
CHRIS SANDS
CAROL MACMANN

ADMINISTRATION
MUNICIPAL MANAGER
GLENA A. MADDEN

CHIEF FINANCIAL OFFICER
BRENDA K. ETTER

*CLERK OF COUNCIL/
OFFICE ADMINSTRATOR*
SANDY WRIGHT

*ZONING AND COMPLIANCE
ADMINISTRATOR*
MELODY DAVIS

INCOME TAXES
KELLY PINKERTON

WATER DEPARTMENT
TAMMY FETTERS

SAFETY AND SERVICE
POLICE CHIEF

FIRE CHIEF
JC KEYSER

*SERVICE DEPARTMENT
SUPERINTENDENT*
SCOTT A. BROCK

HOLIDAY CLOSINGS FOR VILLAGE OFFICES

July 5, 2021

Independence Day

September 6, 2021

Labor Day

November 11, 2021

Veteran's Day

November 25-26, 2021

Thanksgiving

December 24, 2021

Christmas

December 31, 2021

New Year's Day

CONTACT OFFICE:

Municipality of New Lebanon, Ohio
Village Offices 198 S. Clayton Road
New Lebanon, Oh 45345-9363

Office: 937-687-1341 * Fax Number: 937-687-1213 * Economic Development: 937-687-3700
Office hours: 8:00 A.M. to 4:30 P.M.

Check out our website: www.newlebanonoh.org